



ROAD SAFETY EQUIPMENT SOLUTIONS

Safety Made Affordable with Better Service!

✉ info@veonaroadsafety.com.au

☎ +61 489 901 099

🌐 www.veonaroadsafety.com.au

🏠 2/22 Infinite Drive, Truganina, VIC 3029

INDEX



SITE SAFETY

01 - 14



ROAD SIGNS & TRAFFIC MANAGEMENT

15 - 18



PPE

19 - 23



UTILITIES

14 - 15



LUNCHROOM

24 - 25

About Us

- Veona Road Safety has been established with the focus on providing Quick Customer Service at LOW prices Always!
- We can ship the material on same day (for orders placed before 11:00 am).
- We are here to make things simple and easy - Place your orders on a phone call, email, text message or WhatsApp.
- Want to order / inquire outside of business hours / holidays? - Please do that, we are always here and eager to help you with a smile.
- No matter if you are a sole trader or a giant company we are here to provide the best customer service experience and save you \$\$\$
- We are a Young, Dynamic and Energetic team to go an extra mile to support our customers and building a reputation for ourselves.
- We look forward to develop strong relationships with our customers.



Why Choose Veona



**Quick Delivery
To Anywhere**



**Low Prices
Always**



Prompt Service

SITE SAFETY

Barrier Mesh/Safety Mesh

Features

- Hi-Vis fluorescent orange colour
- Made with UV stabilised HDPE
- Easy installed and re-usable
- Built to tough weather condition
- Long lasting durability
- Available in different colour, weight and size



Specification

Code	BR Mesh Size	Material	Color
SFL-01	100 X 40 mm, 100g/m2, 50 X 1 m/roll	HDPE Plastic Mesh, Heavy Duty	Orange
SFL-02	80 X 40 mm, 150g/m2, 50 X 1 m/roll	HDPE Plastic Mesh, Heavy Duty	Orange

Star Picket

Features

- Black painted Y star picket
- Packing: 10pcs/bundle,
- Weight tolerance: +/- 4%
- Steel fence posts are ideal for soft, sandy ground, asphalt, or paved areas.
- Star pickets, also known as steel fence posts, droppers, T-posts, Y posts, Waratahs or star posts are commonly used to support various types of wire, barrier mesh, silt fence or wire mesh.
- The posts are driven into the ground to support a range of perimeter fencing types. Fix your fencing with our annealed tie wire using the holes down the length of the post.
- Star posts made from mild steel (200 grade)/Virgin
- R53 steel/galvanised which means they are lightweight yet strong.
- R53 steel offers a reduced chance of rusting, meaning they last longer in the field. Sold in increments of 10 only




Specification

Code	Length
SP-01	450mm-1.58kgs/m-2 holes per pickets
SP-01	600mm-1.58kgs/m-3 holes per pickets
SP-01	900mm-1.58kgs/m-5 holes per pickets
SP-01	1350mm-1.58kgs/m-11 holes per pickets
SP-01	1500mm-1.58kgs/m-14 holes per pickets
SP-01	1650mm-1.58kgs/m-14 holes per pickets
SP-01	1800mm-1.58kgs/m-14 holes per pickets
SP-01	2100mm-1.58kgs/m-7 holes per pickets
SP-01	2400mm-1.58kgs/m-7 holes per pickets

Silt Fence

Features

- Silt Fence is designed for protection of natural surrounding areas during the course of earthworks and construction activities for a variety of civil engineering and domestic projects.
- Sensitive aquatic margins require protection from sediment run-off which can contaminate water-bodies due to nutrient overload.



Specification

Code	BR Mesh Size	Material	Color
SFL-01	100 X 40 mm, 100g/m2, 50 X 1 m/roll	HDPE Plastic Mesh, Heavy Duty	Orange
SFL-02	80 X 40 mm, /m2, 50 X 1 m/roll	HDPE Plastic Mesh, Heavy Duty	Orange

Survey/Silt fence Peg

Specification

Code	Length	Material
SWP-01	50x25x900	Hard Wood



Barrier Tape

Features

- Heavy duty polyethylene material
- Tear resistant and easy to apply
- Highly visibility single or double sided printing
- Feature UV coating and scratch resistant ink
- All variables are available



Specification

Code	Length	Material
TTB-01	75mm X 0.05mm X 100M	Red & White Single sided printing
TTB-02	75mm X 0.05mm X 100M	Black & Yellow Single sided printing

Bunting/Safety Flag line

Features

- Hi-Vis fluorescent orange colour
- Anti-UV PVC flags
- Customizable
- Easy to apply




Specification

Code	Dimension	Additional Info	Used
FL-01	30m in length, triangle PVC flag 165 X 190 X 190mm	Triangle PVC Flag with Nylon rope	Day use

Convex Safety Mirror

Features

- Convex surface to enable extra visibility near blind corners and areas where vision is impaired
- For outdoor use like carparks, private on-site intersections, loading docks and more
- A high visibility orange surround (with an in-built visor on outdoor models) helps to reduce sun glare and protects the mirror from harsh weather.
- Mounting brackets included
- 600mm mirrors are suitable for distances up to 20m
- 800mm mirrors are suitable for distances up to 25m



Specification

Code	Size	USE
CSM-600	600mm Dia	Indoor
CSM-800	800mm Dia	Indoor

Star Picket Caps

Features

- Safety yellow plastic caps easy to remove and reuse
- Capable to fit post ranging from 12mm to 20mm diameter.
- Give visual warning and protect from sharp edges on starter bars and star pickets
- Supplied in a box of 100



Specification

Code	Material	Color	Quantity
YC-01	Plastic	Yellow	100 in a box

Warehouse Cable Protector

Features

- Interlocking ends for unlimited length
 - Drop over design for easy setup
 - Raised tread for slip resistance
 - Made from rubber, therefore, does not slip on the carpet and will not damage the flooring
- Suitable to use in home, work and school environments to protect cables and keep them out of the way.



Specification

Code	Size	Color	Weight	Material
CP-01	1000 X 140 X 20mm	Black	1.5kg	Rubber

2 channel cable protector



Features

- Used to secure cables and eliminate trip hazards for pedestrians accessing the area.
 - Non slip design. Can be used in outdoor, indoor, work site, conference rooms, offices and more
- Sections connect together to make up the protection length required

Specification

Code	Size	Color	Color Space	Weight	Material
CP-03	1000 X 250 X 45mm	Orange Base, Yellow Cover	∅ 30MM	1.5kg	PU
CP-03	1000 X 250 X 45mm	Black Base, Yellow Cover	∅ 30MM	8.6kg	PU Base, Plastic Cover



SITE SAFETY

5 channel cable protector




Features

- Used to secure cables in situations where pedestrians, cars, and cabling need to share the same space.
- Recommended for temporary applications, light-duty vehicle or pedestrian traffic
- Non-slip design, recessed handles allow for easy carry.
- Clip in lids to fully conceal cabling before allowing any traffic to pass.

Specification

Code	Size	Color	Color Space	Weight	Material
CP-01	900 X 500 X 55mm	Orange Base, Yellow Cover	◊ 30MM	9.6kg	PU
CP-02	900 X 50 X 55mm	Black Base, Yellow Cover	◊ 30MM	8.6kg	PU Base, Plastic Cover

Warehouse Cable Protector




Features

- Interlocking ends for unlimited length
- Drop over design for easy setup
- Raised tread for slip resistance
- Made from rubber, therefore, does not slip on the carpet and will not damage the flooring

Specification

Code	Size	Color	Weight	Material
CP-06	1000 X 20 X 133mm	Yellow	0.9kg	PE
CP-07	1000 X 270 X 40mm	Yellow	2.4kg	PE

Orange Crowd Control Barriers



Features

- The steel barricade is the most effective product for managing large crowds, ideal for sports, events, concerts, airports, security.
- Welded steel construction make this barrier system ideal for heavy duty and outdoor storage.
- Galvanized steel barricades are lightweight, yet strong and durable..

Specification

Pannel Size	Frame	Infill Pickets	Weight	Finish	Feet
2200mm(L) X 1100(H)	25mm O.D.	20mm O.D. 200 mm Spacings	14kgs	Galvanised	Flate Feet - Removable

R2 Construct Max First Aid Kit, Tackle Box




Features

- 1 X Accident report note book with pencil
- 50 X Adhesive strips, Fabrics, 72 X 19MM
- 50 X Adhesive strips, Plastic, 72 X 19MM
- 4 X Alcohol wipe, Sachet
- 1 X Antiseptic liquid/sting relief, 50ML, Spray bottle
- 1 X Bowl galipot 60ML Clear
- 1 X Cold Pack, Instant, Large
- 1 X Combine Dressing, 10 X 20CM, Sterile
- 3 X Conforming bandage, 5CM, White
- 3 X Conforming bandage, 7.5CM, White 100 X Cotton tips, Double ended, 7.5CM
- 1 X CPR Flowchart, Wallet size
- 1 X Crepe bandage, Heavy weight, 10CM, Brown
- 5 X Disposable gloves, Large, Pair
- 1 X Emergency first aid information booklet, Basic, DL Size
- 1 X Emergency shock blanket, Silver space

Specification

- Complies with WHS 2019 Regulations for Workplaces.
- Includes 2 additional modules; Eye 'n' Wound and an Outdoor module, to suit the common injuries that occur on construction sites.
- Portable case options available making it an ideal kit for builders and tradesmen who require a compliant first aid kit on-site with them.
- Dimensions: 420 (W) X 180 (H) X 230 (D) MM

Easy Refill First Aid Kit, Metal Wall Mount



Features

- ANTISEPTIC, 50ML FIRST AID SPRAY, 1PK
- Antiseptic, 50ML first aid spray, 1PK
- Wound wipe, Alcohol swab, 10PK
- Wound wipe, Non-Sting wipe, 10PK
- Wound wipe, Povidone iodine swab, 10PK
- Conforming bandage, 5CM, 3PK
- Conforming bandage, 7.5CM, 3PK
- Heavy crepe bandage, 10CM, 2PK
- Triangular bandage, Cotton, 2PK
- Cotton tip applicators, 100PK
- Combine dressing, 10 X 20CM, 2PK
- Non-Adherent dressing, 5 X 5CM, 6PK
- Non-Adherent dressing, 10 X 7.5CM, 3PK
- Non-Adherent dressing, 10 X 10CM, 1PK
- Wound dressing, No.13, 1PK
- Wound dressing, No.14, 1PK
- Wound dressing, No.15, 1PK
- Gauze swabs, 7.5 X 7.5CM, 15PK
- Procedure and disposal first aid pack, 100ML sharps
- Container, Galipot and instrument tray set
- Instrument set, 12.5CM Stainless steel scissors and forceps, 1PK
- First aid literature pack, First aid booklet, CPR Guide, Snake and Spider bite guide and accident report notebook set
- Instant cold pack, Large, 1PK
- Nitrile disposable gloves, Large pairs, 5PK
- Amputation bags, Large, Medium and small, 1PK
- Clinical waste bags, 27L, 5PK
- Emergency thermal blanket, 1PK
- Assorted safety pins, 12PK
- Wound closure strips, 3 X 75MM, 25PK
- Disposable splinter probes, 10PK
- Hydrogel burn gel, 3.5G Sachet, 5PK
- Adhesive plasters, Plastic, 72 X 19MM, 50PK
- Adhesive plasters, Fabric, 72 X 19MM, 50PK
- Resuscitation face shield, Disposable, With valve, 1PK
- Eye pads, Non-Adherent, 4PK
- Eye Wash, 30ML Ampoules, 8PK
- Paper tape, Hypoallergenic, 2.5CM X 9M, 1PK

Specification

- Revolutionary colour coded easy-access first aid kit perfect for any workplace looking to be WHS compliant and better first aid prepared, whilst reducing the cost of first aid.
- Housed in a durable wall mountable metal cabinet.
- Internal consistent box sizing provides instant visibility into contents expiry dates and correct quantities for compliance.
- First aid 'FastGuide' conveniently located on the cabinet door to ensure effective response to common workplace injuries and to assist responders in being able to easily select the correct contents for first aid treatment.
- Exceeds requirements of the WHS Code of Practice for 1-25 persons.
- Product code: FAE10
- Dimensions: 43.5cm (W) x 11.5cm (D) x 61cm (H)





R1 Response Max First Aid Kit Plastic Portable



Features

- 50 X Adhesive strips, Plastic, 72 X 19MM, 50PK
- 4 X Alcohol Wipe, Sachet
- 2 X Wound cleansing wipe, NON-Sting, Sachet
- 1 X Cold Pack, Instant, Large
- 1 X Conforming bandage, 5CM, white
- 1 X Conforming bandage, 7.5CM, White
- 60 X Cotton balls, 60PK
- 1 X Resuscitation face shield, Disposable with NON-Return valve
- 1 X Leaflet, CPR/EAR. Wallet size
- 2 X Crepe bandage, Heavy weight, 10CM, Brown
- 2 X Disposable gloves, 2PK
- 1 X Emergency first aid information booklet, Basic, DL size
- 1 X Emergency shock blanket, Silver space
- 2 X Eye pad, Sterile
- 2 X Eye wash solution, 30ML Ampoule
- 1 X Splinter forceps, Stainless steel, 12.5CM
- 2 X Gauze swab, 7.5 X 7.5CM, 5PK
- 1 X Hydrogel burns gel, 3.5G Sachet
- 2 X NON-Adherent Dressing, 10 X 7.5CM, Sterile
- 2 X NON-Adherent Dressing, 5 X 5CM, Sterile
- 1 X Accident report notebook with pencil
- 1 X Paper tape, 2.5CM X 5M, Hypo-Allergenic, White
- 1 X Plastic bag, Resealable, Large, 305 X 230MM
- 1 X Plastic bag, Resealable, Medium, 230 X 150MM
- 1 X Plastic bag, Resealable, Small, 125 X 100MM
- 2 X Povidone iodine swabs
- 12 X Safety pins, Assorted, 12PK
- 1 X Scissors, Stainless steel, 12.5CM
- 1 X Snake 'N' Spider bite information booklet. Fold out A5 size first aid basics
- 5 X Splinter probe, Disposable
- 2 X Triangular bandage, Cotton, Large, White
- 5 X Wound closure strips, 3 X 75MM, 5PK
- 1 X Wound dressing, NO.14, Sterile

Specification

- Complies with WHS 2019 Regulations for Work Vehicles.
- The ever-popular deluxe vehicle kit.
- Loaded with ARTG Registered quality extras like splinter probes, Hydrogel burn gel, heavy duty crepe bandage, instant ice pack and more.
- Medium sized case with internal compartments ready for that unexpected roadside emergency.
- BONUS Wall mount Bracket
- Dimensions: 290 (W) X 280 (H) X 100 (D) MM

First aid kit, snake & spider Bite kit, soft pack



Features

- 1 X Cold pack, Instant, Standard
- 3 X Crepe bandage, Heavy weight, 10Cm, Brown
- 1 X Emergency first aid information booklet, Basic, DL size
- 1 X Snake 'N' Spider bite information booklet. Fold out A5 size
- First aid basics
- 2 X Triangular bandage, Cotton, Large, White

Specification

- A popular addition to any first aid kit. Compact and lightweight kit for your backpack or emergency kit.
- Quality hospital grade contents.
- Full colour Snake and Spider Identification Sheet.
- Easy to follow Symptoms and Treatment Guide.
- Flexible soft pouch presentation for excellent portability.
- Dimensions: 120 (W) X 210 (H) X 60 (D)

Workplace First Aid Kit



Features

- Complies with Safework Code of Practice 2012 for Workplaces
- Certified to: ISO 13485
- TGA Approved AUST L 142658
- Australian Manufactured
- Rugged, lightweight plastic case
- Keeps contents secure and free of dust
- Ensures workplace compliance
- Ideal for industrial environments Includes bonus bracket to securely mount inside vans

Specification

Code

FWP824H

First aid kit, motorist kit, soft pack



Features

- 20 X Adhesive strips, Plastic, 72 X 19MM
- 20 X Adhesive strips, Plastic, Assprted
- 2 X Alcohol Wipe, Sachet
- 1 X Conforming Bandage, 5CM, White
- 100 X Cotton tips, Double Ended, 7.5CM
- 1 X Disposable gloves, Large, Pair
- 1 X Emergency first aid information booklet, Basic, DL Size
- 1 X Emergency shock blanket, Silver space
- 1 X Eye pad, Sterile
- 1 X Eye wash solution, 30ML Ampoule
- 1 X Non-Adherent dressing, 10 X 7.5CM, Sterile
- 1 X Paper tape, 1.25CM X 9M, Hypo-Allergenic, White
- 2 X Providone iodine SWABS
- 1 X Resuscitation face shield. Disposable with non-return valve
- 12 X Safety pins, Assorted
- 1 X Scissors, Steel, 9CM
- 1 X Splinter forceps, Steel, 9CM
- 5 X Splinter probe, Disposable
- 1 X Triangular bandage, Disposable, Large, White
- 2 X Wound cleansing wipe, Non-sting, Sachet
- Standards & Compliance

Specification

- The handy medical tool for every vehicle.
- Compact case design to fit into most vehicles gloves boxes or under seats.
- Practical internal compartments to assist with contents organisation.
- Dimensions: 180 (W) X 120 (H) X 80 (D)



SITE SAFETY

Workplace First Aid Kit



Features

- Complies with Safework Code of Practice 2012 for Workplaces
- Certified to: ISO 13485
- TGA Approved AUST L 142658
- Australian Manufactured
- Fits into glove boxes and under car seats
- Reflective strip for nighttime visibility
- Heavy duty zippers and pulls
- Stud loop closure enables bag to be attached to belts
- Reflective strip ensures visibility at night-time scenes

Specification

Code
FWV818

Workplace First Aid Kit



Features

- Complies with Safework Code of Practice 2012 for Workplaces
- Certified to: ISO 13485
- TGA Approved AUST L 142658
- Australian Manufactured
- Rugged, lightweight plastic case
- Keeps contents secure and free of dust
- Ensures workplace compliance
- Ideal for industrial environments Includes bonus bracket to securely mount inside vans

Specification

Code
FWP824H

BE Dry Chemical Powder Fire Extinguisher



Features

- Rugged epoxy coated steel cylinder with welded base for extra strength
- Resist corrosion, dents and punctures
- Special UV resistant paint
- EPDM type UV resistant discharge hoses
- Chrome plated brass valve body
- 316 Stainless steel handles and levers - suitable for marine use
- 316 Stainless steel hose retaining clip and bands
- Brass Hose Ferrules on 4.5kg & 9.0kg extinguishers for use in underground mines
- Vehicle (& wall) mounting bracket supplied with 2.5kg sizes
- Wall hanging bracket supplied with 2.5kg, 4.5kg & 9.0kg sizes

Specification

Code	Dimension	Weight
CDB-01	270W X 1140H	1 kg

ABE Dry Chemical Powder Fire Extinguisher



Features

- Rugged epoxy coated steel cylinder with welded base for extra strength
- Resist corrosion, dents and punctures
- Special UV resistant paint
- EPDM type UV resistant discharge hoses
- Chrome plated brass valve body
- 316 Stainless steel handles and levers - suitable for marine use
- 316 Stainless steel hose retaining clip and bands
- Brass Hose Ferrules on 4.5kg & 9.0kg extinguishers for use in underground mines
- Vehicle (& wall) mounting bracket supplied with 1.0kg, 1.5kg, 2.0kg & 2.5kg sizes
- Wall hanging bracket supplied with 2.5kg, 4.5kg & 9.0kg sizes
- Service Maintenance tag fitted Approved to AS/NZS 1841.5

Application

- Suitable for A Class Fires (paper, wood, textiles)
- Suitable for B Class Fires (flammable liquid fires such as oils, paints and solvents)
- Suitable for E Class Fires (energised electrical fires such as switch boards and electrical motors)
- AB:E Dry Powder - ideal for any organisation wishing to standardise on one type of extinguisher

Specification

Code	Capacity	Fire Rating	Agent	Operating Pressure	Discharge Time	Dimensio (HxCYLØ)
FXM10	1.0 kg	1A:10B:E	90% MAP DRY CHEMICAL POWDER	1000KPA	10Sec	300mmx95mm
FXM15	1.5 kg	1A:20B:E	90% MAP DRY CHEMICAL POWDER	1000KPA	10Sec	385mmx90mm
FXM20	2.0 kg	2A:30B:E	90% MAP DRY CHEMICAL POWDER	1000KPA	14Sec	390mmx120mm
FXM25	2.5 kg	3A:40B:E	90% MAP DRY CHEMICAL POWDER	1000KPA	14Sec	400mmx120mm
FXM45	4.5 kg	4A:60B:E	90% MAP DRY CHEMICAL POWDER	1500KPA	19Sec	480mmx145mm





Air Foam Fire Extinguisher

Features

- Lightweight stainless steel cylinder
- Rugged epoxy coated finish
- UV resistant paint
- Resist corrosion, dents and punctures
- Chrome plated brass valve body
- Stainless steel handles and levers
- Stainless steel hose retaining clip
- Controlled on/off discharge
- Contains Tridol S 6% AFFF high performance concentrate for use on crude oil, petrol, diesel fuel and aviation kerosene fires
- Pressurised with standard air chuck
- Wall hanging bracket
- Service Maintenance tag fitted
- Approved to AS/NZS 1841.4



Application

- Suitable for A Class Fires - (paper, wood, textiles)
- Suitable for B Class Fires - (flammable liquid fires such as oils, petrols and solvents)
- Dangerous if used on energised electrical equipment

Specification

Code	Capacity	Fire Rating	Agent	Operating Pressure	Discharge Time	Dimensio (HxCYLØ)
FXAF	9.0 L	3A:20B	TRIDOL S 6% AFFF	1000KPA	45Sec	630mm X 180mm

Wet Chemical Fire Extinguisher

Features

- Lightweight stainless steel cylinder
- Rugged epoxy coated finish
- UV resistant paint
- Resist corrosion, dents and punctures
- Chrome plated brass valve body
- Stainless steel handles and levers
- Controlled on/off discharge
- Wall hanging bracket
- Service Maintenance tag fitted
- Approved to AS/NZS 1841.3



Application

- Suitable for A Class Fires (paper, wood, textiles)
- Suitable for F Class Fires (cooking oils and fats)
- Dangerous if used on energised electrical equipment

Specification

Code	Capacity	Fire Rating	Agent	Operating Pressure	Discharge Time	Dimensio (HxCYLØ)
FXWC20	9.0 L	3A:20B	WET CHEMICAL	700KPA	29Sec	470mm X 100mm
FXWC70	7.0 L	3A:4F	WET CHEMICAL	700KPA	44Sec	650mm X 180mm



CO2 fire Extinguisher

Features

- Lightweight aluminium cylinder
- Rugged epoxy coated finish
- Special UV resistant paint
- Chrome plated brass valve body
- Stainless steel handles and levers
- Alloy hose retaining clip and bands
- Wall hanging bracket
- Service Maintenance tag fitted Approved to AS/NZS 1841.6

Application

- Suitable for B Class Fires (flammable liquid fires such as oils, paints and solvents)
- Suitable for E Class Fires (energised electrical fires such as switchboards, electrical motors and electronic equipment)
- Generally not suitable for outside use
- CO2 is a clean non toxic gas that can penetrate and spread to all parts of the fire area.

Specification

Code	Capacity	Fire Rating	Agent	Discharge Time	Dimensio (HxCYLØ)
FXC20	2.0 kg	2 B:E	CO2	9Sec	540mm X 110mm
FXC35	3.5 kg	5 B:E	CO2	12Sec	585mm X 140mm
FXC50	5.0 kg	5 B:E	CO2	14Sec	670mm X 150mm



Air Water Fire Extinguisher

Features

- Lightweight stainless steel cylinder
- Rugged epoxy coated finish
- UV resistant paint
- Resist corrosion, dents and punctures
- Chrome plated brass valve body
- Stainless steel handles and levers
- Stainless steel hose retaining clip
- Controlled on/off discharge
- Contains corrosion inhibiting agent to protect the inside of the cylinder from harsh waters
- Pressurised with standard air chuck
- Wall hanging bracket
- Service Maintenance tag fitted
- Approved to AS/NZS 1841.2

Specification

Code	Capacity	Fire Rating	Agent	Operating Pressure	Discharge Time	Dimensio (HxCYLØ)
FXM10	9.0 L	3A	H2O WITH CORROSION INHIBITING AGENT	690KPA	65Sec	630mm X 180mm

Application

- Suitable for A Class Fires - (paper, wood, textiles)
Dangerous if used on flammable liquid, energised electrical equipment and cooking oil/fat fires



SITE SAFETY

240 Litre Wheeled Bin Economy Spill Kit

Double the size and absorbent capacity of the 120 Litre Kits, the Stratex Economy 240 Litre Spill Kit range are a great value and high performing method of hazardous spill response. Packed with a range of absorbents designed to contain and clean up spills on both sealed and unsealed surfaces. Place these kits in strategic positions around your worksite to ensure compliance with environmental requirements.

Size: 240L

Contents

- 1 x 240L Wheeled Bin
- 6 x Absorbent Sock 1.2m
- 40 x Absorbent Pads
- 2 x Bag Granular Absorbent
- 1 x Pair Red PVC Gloves
- 6 x Contaminated Waste Disposal Bag
- 6 x Cable Tie
- 1 x Plastic Security Tag
- 1 x Laminated Spill Kit Instructions



Specification

Code	Colour	Material	GSM	Range	Usage
K26-5224E	Yellow	Polypropylene	380gsm	Economy	Oil & Fuel

120 Litre Wheeled Bin Economy Spill Kit

The spill kit on wheels - ready to be taken into action. The Stratex Economy Spill Kit range are a great value and high performing method of hazardous spill response. Packed with a range of absorbents designed to contain and clean up spills on both sealed and unsealed surfaces. Place these kits in strategic positions around your worksite to ensure compliance with environmental requirements.

Size: 120L

Contents

- 1 x 120L Wheeled Bin
- 3 x Absorbent Sock 1.2m
- 20 x Absorbent Pads
- 1 x Bag Granular Absorbent
- 1 x Pair Red PVC Gloves
- 4 x Contaminated Waste Disposal Bag
- 4 x Cable Tie
- 1 x Plastic Security Tag
- 1 x Laminated Spill Kit Instructions



Specification

Code	Colour	Length(mm)	Width(mm)	Height(mm)	Range	Usage
K26-4212E	Yellow	480	550	930	Economy	Oil & Fuel



60 Litre Carry Bag Spill Kit

The 60 Litre Wheeled Bin Spill Kit is ideal for large factories or workshops where there is potential for a spill to occur, and where they may be some distance apart. Each kit is carefully packed with PPE and a variety of appropriate absorbents to contain and absorb a spill up to 60 Litre (depending on the viscosity of the fluid).

Size: 60L

Contents

- 1 x 60L Yellow Wheeled Bin
- 1x Long Absorbent Sock 3m
- 2x Short Absorbent Sock 1.2m
- 25 x Absorbent Pads
- 2 x Absorbent Cushion
- 2 x Bag Granular Absorbent
- 1 x Safety Goggles
- 1 x Pair Red PVC Gloves
- 3 x Contaminated Waste Disposal Bag
- 3 x Cable Tie
- 1 x Laminated Spill Kit Instructions



Specification

Code	Colour	GSM	Range	Usage
K25-7260	Yellow	380gsm	Economy	Oil & Fuel

50 Litre Carry Bag Spill Kit

These spill kits are a compact, all-in-one kit designed especially for protecting your mobile workforce. They provide fast emergency response to any spill situation, and only take up a small space in larger machinery including trucks, excavators, cranes and drilling rigs. The 50 Litre Spill Kit comes packed in a heavy-duty, re-sealable bag and has handles for easy portability from vehicle to spill site. It contains absorbent socks to encircle spills and protect drains and absorbent pads and cushions to absorb the bulk of spilled liquid. It also contains highly versatile granular absorbent which enables it to absorb spills on both sealed surfaces such as concrete and asphalt, and unsealed surfaces such as gravel and dirt. Personal protective equipment and contaminated waste disposal bags are included for clean-up and disposal. It includes a laminated instruction card for usage guidance, and a reorder form for easy restocking.

Size: 50L

Contents

- 1 x 50L Yellow Carry Bag
- 1 x Long Absorbent Sock 3m
- 1 x Short Absorbent Sock 1.2m
- 40 x Absorbent Pads
- 1 x Absorbent Cushion
- 1 x Bag Granular Absorbent
- 1 x Safety Goggles
- 1 x Pair Red PVC Gloves
- 3 x Contaminated Waste Disposal Bag
- 3 x Cable Tie
- 1 x Laminated Spill Kit Instructions



Specification

Code	Colour	Material	Usage
K24-3250	Yellow	Polypropylene	Oil & Fuel

SITE SAFETY

30 Litre Carry Bag Spill Kit

Our most popular vehicle spill kit comes in a compact hi-vis carry bag, small enough to store in truck cabs or toolboxes, behind a door, placed in a laboratory cupboard, in a delivery van or behind Ute seats. Packed with a range of absorbents designed to contain and clean up all small spills. These kits are designed to be taken anywhere, with a strong handle for easy portability from vehicle to spill site. The 30 Litre Spill Kit contains absorbent socks to encircle spills and protect drains and absorbent pads and cushions to absorb the bulk of spilled liquid. It also contains highly versatile granular absorbent which enables it to absorb spills on both sealed surfaces such as concrete and asphalt, and unsealed surfaces such as gravel and dirt. Personal protective equipment and contaminated waste disposal bags are included for clean-up and disposal. It includes a laminated instruction card for usage guidance, and a reorder form for easy restocking.

Size: 30L

Contents

- 1 x 30L Yellow Carry Bag
- 2x Absorbent Sock 1.2m
- 20 x Absorbent Pads
- 1 x Bag Granular Absorbent
- 1x Pair Red PVC Gloves
- 2x Contaminated Waste Disposal Bag
- 2 x Cable Tie
- 1 x Laminated Spill Kit Instructions



Specification

Code	Colour	GSM	Usage
K24-2230	Yellow	HDPE	Oil & Fuel

15 Litre Carry Bag Spill Kit

A portable, cost effective option for small spills, the 15L spill kit is packed in a plastic, clip-closed, hi-vis bag with handles for prompt response. Containing sufficient absorbent to contain basic spills, the kit is easy to use and is compact enough to fit in small spaces in your workshop or vehicle, including toolboxes and behind Ute seats. It contains absorbent socks to encircle spills and protect drains and absorbent pads and cushions to absorb the bulk of spilled liquid. It also contains highly versatile granular absorbent which enables it to absorb spills on both sealed surfaces such as concrete and asphalt, and unsealed surfaces such as gravel and dirt. Personal protective equipment and contaminated waste disposal bags are included for clean-up and disposal. It includes a laminated instruction card for usage guidance, and a reorder form for easy restocking.

Size: 15L

Contents

- 1 x Plastic Clip Closing Bag
- 1 x Absorbent Sock 1.2m
- 20 x Absorbent Pads
- 1 x Pair Red PVC Gloves
- 1 x Contaminated Waste Disposal Bag
- 1 x Cable Tie
- 1 x Laminated Spill Kit Instructions



Specification

Code	Colour	Material	Usage
K24-1201	Yellow	HDPE	Oil & Fuel

Alarmed AED Cabinet



RDC150

Specification

- White AED Wall Cabinet Alarmed Cabinet.
- Features a strobe light and ANZCOR approved signage.
- Battery operated, no hard wiring required.
- 380mm (H) x 420mm (W) x 150mm (D)

RD360 Defibrillator



RD360

Specification

- A fully automatic defibrillator that provides audio prompts to users and metronome for CPR timing.
- Features visual representations of how to use the device.
- Available in semi-automatic (RD350) or fully automatic (RD360) versions. 8 year warranty with lowest cost of ownership over 8 years (PAD & battery).





ROAD SIGNS & TRAFFIC MANAGEMENT



T TOP BOLLARD

Features

- Hi-Vis fluorescent orange colour
- Unbreakable flexible material
- High-intensity engineering material/ class 1 reflective material
- Anti-UV of high durability
- Stem & Base Sold Saperately
- Logos or marking can be added



Specification

Code	Bollard Size	Material	Color	Sleeve
TTB-01	Ø100 X 1150MM	PE	Orange color, Stem only	High insetive prismatic reflective tape engineering collar

Traffic Cones

Features

- Hi-Vis fluorescent orange colour
- Unbreakable flexible material
- High-intensity engineering material/ class 1 reflective material
- Anti-UV of high durability
- Heavy-duty base with handhold grip
- Custom logo branding




Specification

Code	Dimension	Weight	Additional Info
TC-01	450 mm Height	1.5kg Black Base	High intensive 250mm reflective sheet
TC-01	700 mm Height	3.3kg Black Base	High intensive 250mm reflective sheet
TC-01	900 mm Height	4.5kg Black Base	High intensive 250mm reflective sheet

Multi Message Frame

Features

- Multi message frame for corflute sign
- Used - to display temporary traffic warnings, like speed reduction, road conditions ahead and other related warnings
- Black powder coating over Heavy Duty Steel
- Double Entry - Insert signs from left or right
- Core flute Signs and Sign Frame Legs Sold Separately (not included)



Specification


Code	Dimension	Weight	Frame Specification	Additional Info
MMS-01	1270mm X 940mm Holds 1 - 2 X 600 Sign Holds 2 - 1 X 1200 X 300 Sign	Powder Coating	THK1 mm 25*25/square section, track THK2mm	The Multi-message Frame for Coreflue signs



Cone Bar

Features

- Ultra lightweight ABS plastic to allow easy installation
- Durable loops can easily drop over any cone and delineator to form a physical barrier used to temporarily block off work zones or hazardous areas.
- Reflective sheeting maximises the visibility day and night
- The durable connection between bars can lock at any allowable length
- Most effective and effective warning barrier



Specification

Code	Bollard Size	Material	Color	Sleeve	Extends
TTB-01	Ø34 X 2000	PVC	Yellow/Black	Engineering grade reflective sheet	1.32m - 2.13m
TTB-02	Ø34 X 2000	PVC	Yellow/Black	Engineering grade reflective sheet	3m

Corflute Signs

Features

- Made from durable Coreflute
- Retro-reflective Yellow, Red, Blue, Orange
- Australian made material and printing
- Temporary Traffic Control Corflute Sign to fit into Traffic
- Control Multi-Message Sign Frame
- All type of corflute can be made according to AUS STD



Specification

Code	Bollard Size	Material	Color	Sleeve
TTB-01	Ø100 X 1150mm	PE	Orange color, Stem ONLY	High Intensity Prismatic Reflective Tape Engineering Collar
TTB-02	Ø100 X 1150mm	PE	Orange color, Stem ONLY	3MTM High Intensive Prosmatic Reflective Tape

Corflute Chevron for Bollards

Features

- This simple and lightweight fluted plastic chevron
- sign can be easily slipped over the top of our t-top bollards to provide extra definition and visibility.
- With pre-cut holes it is easy to simply slide over the bollard.
- The chevron sign is made from Class 1 Reflective material for excellent reflectivity.



Specification

Code	Dimension	Weight
CDB-01	270W X 1140H	1 kg

ROAD SIGNS & TRAFFIC MANAGEMENT

Cone Bar

Features

- Easy to setup and store
- PC board with Avery T6500 Series reflective chevron
- Blade measures 270mm x 1140mm

Specification

Code	Dimension	Weight
CDB-01	270W X 1140H	1 kg



Traffic Wand

Features

- Strong durable construction
- Comfortable hand grip
- Designed for traffic and Parking control & construction sites.

Specification

Code	Specification
TW-01	6*LED, one handle light, Red flash light, one button, No Battery
TW-02	6*LED, one handle light, Red flash light, one button, No Battery



Stop/Slow Traffic Bat

Features

- Class 1 reflective material
- Lightweight and rust-proof aluminum
- Telescopic aluminum handle -extends from 1.50m to 2.25m
- Customizable

Specification

Code	Dimension	Material	Material
SSB-01	600mm Dia	Made of aluminum material, Avery T6500 Series reflective sheet, Extendable Aluminum Handle	STOP - Red with White Text SLOW - Yellow with Black Text
SSB-02	450mm Dia	Made of aluminum material, Avery T6500 Series reflective sheet, Timber Handle	STOP - Red with White Text SLOW - Yellow with Black Text



Portable Roll out Speed Hump

Features

- Designed for a quick response to slowing vehicles down.
- Suitable for work sites, road works, traffic control and emergency responses.
- Comes in its own handy bag at just 11 kg's in weight so is very easy to transport and fast unrolling on site.
- Its unique 'waffle-style' rubber underlay, which maximises adhesion to the road surface as vehicles traverse over it.

Specification

Code	Length	Weight
SH-01	300mm	11 kg





Rubber Speed Hump Middle-380mm

Features

- Cost effective and durable solution for control of speed
- Made from compression moulded 80% recycled rubber and 20% virgin rubber
- Ideal for Shopping Centre's, Lane ways, Residential units, Flats, Airports, Hospitals, Schools, Wharfs, Council areas, Mine sites, Train stations.

Specification

Code	Dimension	Middle Parts	Length	Weight
SH-02	1.0 MTR Black/Yellow Speed Hump section	Black + Yellow	Length 1000mm X Width 380 X Height 50mm	16 kg



Code



Vented Hard Hat with sliplock harness

Features

- AS/NZS 1801:1997 SAI Global Certified Lic SMK40263
- Sliplock Harness adjustment for easy, secure fitting
- 6 point webbed harness & cradle system
- 11 ventilation points for increased airflow
- Lightweight, streamlined design
- UV and impact resistant ABS material
- Attachment slot fit's most brands of earmuffs
- Replaceable sweatband for user comfort



HVS590

Specification

- Available in 9 different colours

Vented Hard Hat - Ratchet Harness

Features

- AS/NZS 1801:1997 SAI Global Certified Lic SMK40263
- Lockable single hand ratchet adjustment for easy, secure fitting
- 6 point webbed harness & cradle system
- 10 ventilation points for increased airflow
- Lightweight, streamlined design
- UV and impact resistant ABS material
- Attachment slot fits most brands of earmuffs
- Replaceable sweatband for user comfort



HVR580

Specification

- Available in 9 different colours

White Unvented Hard Hat - Ratchet Harness

Features

- UnVented Hard Hat provides head protection that conforms to Australian Safety Standards.
- AS/NZS 1801:1997 SAI Global Certified Lic SMK40263
- Lockable single hand ratchet adjustment for easy, secure fitting 6 point webbed harness & cradle system
- Lightweight, streamlined design
- UV and impact resistant ABS material
- Attachment slot fits most brands of earmuffs
- Replaceable sweatband for user comfort



HUR581-W



Maxisafe Natural Full-Grain Leather Rigger Glove

Features

- Genuine High Quality Cowgrain Leather
- Wing thumb for stitch free palm
- Double Stitched for strength
- Elastic Back
- Colour coded cuff for size identification
- Manufactured to EN420 standard for accuratesizing
- Product Code: GRB140
- Sizes Small to 2XLarge
- Personalise any Maxisafe gloves by asking us to print your own companys logo or a customers logo on each glove!



GRB140

Applications

- Genuine High Quality Cowgrain Leather
- Wing thumb for stitch free palm
- Double Stitched for strength
- Elastic Back
- Colour coded cuff for size identification
- Manufactured to EN420 standard for accuratesizing
- Product Code: GRB140
- Sizes Small to 2XLarge
- Personalise any Maxisafe gloves by asking us to print your own companys logo or a customers logo on each glove!

Specification

- Size: S to 2XL

Maxisafe Sunscreen SPF 50+

Features

- High-quality lip balm SPF50+ sunscreen
- Very high protection for sun sensitive skin for up to 4 hours of water immersion With Vitamin E for increased skin care the lotion can be used all over the body including the face.
- NO TITANIUM DIOXIDE OR ZINC OXIDE

Specification

Code	
SMB650-50	125ml Tube
SMB650-50	250ml Spray Bottle
SMB650-50	250ml Fliptop
SMB650-50	500ml Pump
SMB650-50	1 Litre Pump



Maxisafe Natural Full-Grain Leather Rigger Glove

Features

- Black 13 Gauge Polyethylene super cut resistant yarn
- EN ISO Cut Level D
- New micro-foam NBR coating offers superb flexibility, durability and grip
- The micro-foam NBR coating is liquid resistant, durable and washable
- Touch screen compatible for use on most screens, tablets and mobile phones
- Cool Star Yarn offers excellent breathability and sweat absorption

Applications

- Glass and bottle industries
- Pulp and paper industries
- Sheet metal fabrications
- Automotive and steel industries
- Plastics and moulding industries
- Aerospace

Specification

- Size: S to 2XL



GKH197

Maxiplug 100 tradies Pack

Features

- The ergonomically shaped MaxiPlug disposable earplug is characterised by very high sound absorption levels, making it suitable for use in very loud environments.
- The MaxiPlug foam earplug has a sealed surface, preventing foreign bodies from penetrating the plug. The soft foam offers real comfort, even when worn for extended periods.
- Class 5 protection with SLC80 rating of 26dB
- Tapered design for easy fit
- Soft polyurethane for maximum comfort
- 100 pairs per Tradies Pack
- Certified to AS/NZS 1270:2002 Lic SMK40540

Applications

- Agriculture & Forestry
- Chemical
- Construction
- Fire Protection
- Manufacturing
- Medical
- Military
- Mining
- Municipal Services
- Oil & Gases
- Steel & Metals
- Transportation
- Welding
- 100 Pairs per cone
- Contact us for smaller or bigger packs of earplug



HEU660



Disposable Face Mast

Features

- Type 1 non-medical mask
- Three-layer, non-woven fabric structure
- Soft, elastic ear loops
- Fully enclosed, adjustable nose clip

Applications

- Office staff
- Non-medical general use

Specification

Code	Size
FM-01	17.5 X 9.5cm



Hi-Vis Yellow safety Vest-Day/Night

Features

- Cool, breathable and lightweight fabric
- Complies with AS/NZS 4602 – Day/Night Use
With 'H' pattern Reflective tape – Class D/N
Velcro closure
- Sizes: S – 5XLarge

Applications

- Civil Construction
- Traffic Management
- Road Maintenance
- Pedestrian Crossings

Specification

Code	Size	Colour
SV-01	S to 5XL	Yellow



Hi-Vis Orange safety Vest-Day/Night

Features

- Cool, breathable and lightweight fabric
- Complies with AS/NZS 4602 – Day/Night Use
With 'H' pattern Reflective tape – Class D/N
Velcro closure
- Sizes: S – 5XLarge

Applications

- Civil Construction
- Traffic Management
- Road Maintenance
- Pedestrian Crossings

Specification

Code	Size	Colour
SV-01	S to 5XL	Orange





MaxiPlug Uncorded Earplugs

Features

- The ergonomically shaped MaxiPlug disposable earplug is characterised by very high sound absorption levels, making it suitable for use in very loud environments
- The MaxiPlug foam earplug has a sealed surface, preventing foreign bodies from penetrating the plug. The soft foam offers real comfort, even when worn for extended periods
- Class 5 protection with SLC80 rating of 26dB
- Tapered design for easy fit
- Soft polyurethane for maximum comfort
- Refill bag of 300 pairs
- AS/NZS 1270:2002 compliant

Applications

- Agriculture and Forestry
- Chemical
- Construction
- Fire Protection
- Manufacturing
- Medical
- Military
- Mining
- Municipal
- Services
- Oil and Gases
- Steel and Metals
- Transportation
- Welding



HEU649

MaxiPlug Uncorded Earplugs

Features

- The ergonomically shaped MaxiPlug disposable earplug is characterised by very high sound absorption levels, making it suitable for use in very loud environments.
- The MaxiPlug foam earplug has a sealed surface, preventing foreign bodies from penetrating the plug. The soft foam offers real comfort, even when worn for extended periods.
- Class 5 protection with SLC80 rating of 26dB
- Tapered design for easy fit
- Soft polyurethane for maximum comfort
- Pairs packaged in individual bags
- 200 pairs per dispenser
- Certified to AS/NZS 1270:2001 Lic SMK40540



HEU645



Long Life Milk Full Cream

Specification

- 1 Liter per pack
- 10 Pack/Box available



LLLM01

DEVONDALE SKIM LONG LIFE UHT MILK

Specification

- 1 Liter per pack
- 10 Pack/Box available



LLLM02

Nescafe Blend 43 Instant Coffee Tin 500G



LLLM01

Specification

- Nescafe Blend 43 Instant Coffee is a blend of high quality Arabica coffee beans and full-bodied Robusta coffee beans that delivers a consistently bold, well-rounded flavour and rich aroma that you can always rely on. It is proudly roasted and blended from 100% natural coffee beans in Gympie, Queensland. Roasted and blended in Australia, especially for Australians, this blend is the perfect match for anyone working or studying who require a kick start. The rich aroma of this cup leaves a satisfying, lingering aftertaste and comes in a resealable 500g tin for freshness.

NESCAFÉ BLEND 43 Stick Packs (1.7g x 280), 476g

Specification

- Nescafé BLEND 43 is a blend of high quality arabica and robusta beans that deliver a consistently bold, well-rounded flavour and rich aroma that you can always rely on. Proudly roasted and blended in Gympie, Queensland, made to suit Australian tastes. Roasted and Blended in Australia 100 percent Natural Coffee Single-Serve portions.



LLLM02

Water cooler Refiller

Specification

- 15 Liter



Ajax Spray N Wipe



Specification

- 500ML

White Sugar



Specification

- 1 Kg Sugar Pack

Dishwashing liquid



Specification

- Option 1 - 100ML
- Option 2 - 400ML

LUNCHROOM



Milo - Nestle Milo Chocolate Malt Powder



Specification
• 1kg

Sugar Sticks



Specification
• Option 1 - 3g X 50 Packs
• Option 2 - 3g X 2500 Pack

Salt 125g



Specification
• 125g Salt

Water bottle



Specification
• Pack of 24 bottles X 600ML

Hot and Cold Water dispenser



Lipton Tea bags



Specification
• 100 packs
• 200g

Dilmah Premium Tea Bags



Specification
• 200 pack
• 400g

Wooden Fork



Specification
• Pack of 100

Wooden Knives



Specification
• Pack of 100

Papper Cups



Specification
• 50 per pack
• 250 ML

Paper Plate



Specification
• Pack of 100
• 23cm round shape

Bin Liner 80L



Specification
• Pack of 50
• Other sizes available on request







Get In Touch



info@veonaroadsafety.com.au



+61 489 901 099



www.veonaroadsafety.com.au



2/22 Infinite Drive, Truganina, VIC 3029